




DELVE INTO THE UNEXPLORED



SEMI-HIGH GLOSSY
600x1200mm

ETERNAL
CHARM FOR
A PLACE


SEMI-HIGH GLOSSY FINISH
600x1200mm

The semi-high glossy finish tiles of the Inky series completely change the perception of a space. The reflective surface of these tiles adds a touch of brilliance and contemporary charm to the place.

SERIES

inky *Series*

The Inky series is an assemblage of tiles with innovative designs in 600x1200mm size. These tiles have minute details to bring sophistication and elegance to your most personal space.



FEATURES



HIGH DURABILITY



EASY INSTALLATION



EASY MAINTENANCE




HYGIENIC SURFACE



FIRE & WATER RESISTANCE

SEMI-HIGH GLOSSY
FINISH
GVT 600x1200mm

inky
Series



11001
ARISA GOLD



HIGH DURABILITY



EASY INSTALLATION



ANTI SLIP SURFACE



EASY MAINTENANCE



HYGIENIC SURFACE



FIRE & WATER RESISTANCE



SEMI-HIGH GLOSSY
FINISH
GVT 600x1200mm

inky
Series



11002
ARISA GREEN



HIGH DURABILITY



EASY INSTALLATION



ANTI SLIP SURFACE



EASY MAINTENANCE




HYGIENIC SURFACE



FIRE & WATER RESISTANCE

SEMI-HIGH GLOSSY
FINISH
GVT 600x1200mm

inky
Series



11003
ARISA RED



HIGH DURABILITY



EASY INSTALLATION



ANTI SLIP SURFACE



EASY MAINTENANCE



HYGIENIC SURFACE



FIRE & WATER RESISTANCE

11003 ARISA RED




GVT | 600x1200mm



SEMI-HIGH GLOSSY
FINISH
GVT 600x1200mm

inky
Series



**11004
BENZ GREEN**



HIGH DURABILITY



EASY INSTALLATION



ANTI SLIP SURFACE



EASY MAINTENANCE



HYGIENIC SURFACE



FIRE & WATER RESISTANCE

11004 BENZ GREEN



GVT | 600x1200mm



SEMI-HIGH GLOSSY
FINISH
GVT 600x1200mm

inky
Series



**11005
BENZ RED**



HIGH DURABILITY



EASY INSTALLATION



ANTI SLIP SURFACE



EASY MAINTENANCE



HYGIENIC SURFACE




FIRE & WATER RESISTANCE



SEMI-HIGH GLOSSY
FINISH
GVT 600x1200mm

inky
Series



11006
CARRISA AQUA



HIGH DURABILITY



EASY INSTALLATION



ANTI SLIP SURFACE



EASY MAINTENANCE



HYGIENIC SURFACE




FIRE & WATER RESISTANCE



SEMI-HIGH GLOSSY
FINISH
GVT 600x1200mm

inky
Series



11007
CULTO AQUA



HIGH DURABILITY



EASY INSTALLATION



ANTI SLIP SURFACE




EASY MAINTENANCE



HYGIENIC SURFACE




FIRE & WATER RESISTANCE



SEMI-HIGH GLOSSY
FINISH
GVT 600x1200mm

inky
Series



**11008
CULTORED**



HIGH DURABILITY



EASY INSTALLATION



ANTI SLIP SURFACE



EASY MAINTENANCE



HYGIENIC SURFACE



FIRE & WATER RESISTANCE

11008 CULTO RED





GVT | 600x1200mm



SEMI-HIGH GLOSSY
FINISH
GVT 600x1200mm

inky
Series



**1109
ENTORRED**



HIGH DURABILITY



EASY INSTALLATION



ANTI SLIP SURFACE



EASY MAINTENANCE



HYGIENIC SURFACE



FIRE & WATER RESISTANCE

11009 ENTOR RED



GVT | 600x1200mm



SEMI-HIGH GLOSSY
FINISH
GVT 600x1200mm

inky
Series



11010
GRIZZY RED



HIGH DURABILITY



EASY INSTALLATION



ANTI SLIP SURFACE



EASY MAINTENANCE



HYGIENIC SURFACE




FIRE & WATER RESISTANCE

11010 GRIZZY RED




GVT | 600x1200mm



SEMI-HIGH GLOSSY
FINISH
GVT 600x1200mm

inky
Series



**11011
LAVA GREEN**



HIGH DURABILITY



EASY INSTALLATION



ANTI SLIP SURFACE



EASY MAINTENANCE



HYGIENIC SURFACE



FIRE & WATER RESISTANCE

11011 LAVA GREEN



GVT | 600x1200mm

SEMI-HIGH GLOSSY
FINISH
GVT 600x1200mm

inky
Series



11012
LAVANATURAL



HIGH DURABILITY



EASY INSTALLATION



ANTI SLIP SURFACE



EASY MAINTENANCE



HYGIENIC SURFACE



FIRE & WATER RESISTANCE

SEMI-HIGH GLOSSY
FINISH
GVT 600x1200mm

inky
Series



**11013
L A V A R E D**



HIGH DURABILITY



EASY INSTALLATION



ANTI SLIP SURFACE



EASY MAINTENANCE



HYGIENIC SURFACE



FIRE & WATER RESISTANCE



SEMI-HIGH GLOSSY
FINISH
GVT 600x1200mm

inky
Series



**11014
MARBO AQUA**



HIGH DURABILITY



EASY INSTALLATION



ANTI SLIP SURFACE



EASY MAINTENANCE



HYGIENIC SURFACE



FIRE & WATER RESISTANCE

11014 MARBO AQUA



GVT | 600x1200mm



SEMI-HIGH GLOSSY
FINISH
GVT 600x1200mm

inky
Series



11015
NAXOS AQUA



HIGH DURABILITY



EASY INSTALLATION



ANTI SLIP SURFACE



EASY MAINTENANCE



HYGIENIC SURFACE




FIRE & WATER RESISTANCE

11015 NAXOS AQUA




GVT | 600x1200mm



SEMI-HIGH GLOSSY
FINISH
GVT 600x1200mm

inky
Series



11016
NAXOS GREEN



HIGH DURABILITY



EASY INSTALLATION



ANTI SLIP SURFACE



EASY MAINTENANCE



HYGIENIC SURFACE




FIRE & WATER RESISTANCE



SEMI-HIGH GLOSSY
FINISH
GVT 600x1200mm

inky
Series



**11017
NAXOS RED**



HIGH DURABILITY



EASY INSTALLATION



ANTI SLIP SURFACE



EASY MAINTENANCE



HYGIENIC SURFACE




FIRE & WATER RESISTANCE



SEMI-HIGH GLOSSY
FINISH
GVT 600x1200mm

inky
Series



**11018
NEO AQUA**



HIGH DURABILITY



EASY INSTALLATION



ANTI SLIP SURFACE



EASY MAINTENANCE



HYGIENIC SURFACE




FIRE & WATER RESISTANCE

11018 NEO AQUA




GVT | 600x1200mm



SEMI-HIGH GLOSSY
FINISH
GVT 600x1200mm

inky
Series



**11019
NILOX GOLD**



HIGH DURABILITY



EASY INSTALLATION



ANTI SLIP SURFACE



EASY MAINTENANCE



HYGIENIC SURFACE



FIRE & WATER RESISTANCE

11019 NILOX GOLD



GVT | 600x1200mm



SEMI-HIGH GLOSSY
FINISH
GVT 600x1200mm

inky
Series



**11020
NILOX GREEN**



HIGH DURABILITY



EASY INSTALLATION



ANTI SLIP SURFACE



EASY MAINTENANCE



HYGIENIC SURFACE




FIRE & WATER RESISTANCE



SEMI-HIGH GLOSSY
FINISH
GVT 600x1200mm

inky
Series



11021
ORINA GOLD



HIGH DURABILITY



EASY INSTALLATION



ANTI SLIP SURFACE



EASY MAINTENANCE




HYGIENIC SURFACE



FIRE & WATER RESISTANCE

SEMI-HIGH GLOSSY
FINISH
GVT 600x1200mm

inky
Series



**11022
ORINA GREEN**



HIGH DURABILITY



EASY INSTALLATION



ANTI SLIP SURFACE



EASY MAINTENANCE



HYGIENIC SURFACE



FIRE & WATER RESISTANCE

11022 ORINA GREEN



GVT | 600x1200mm



SEMI-HIGH GLOSSY
FINISH
GVT 600x1200mm

inky
Series



**11023
ORINARED**



HIGH DURABILITY



EASY INSTALLATION



ANTI SLIP SURFACE




EASY MAINTENANCE



HYGIENIC SURFACE




FIRE & WATER RESISTANCE



SEMI-HIGH GLOSSY
FINISH
GVT 600x1200mm

inky
Series



11024
ORLIN AQUA



HIGH DURABILITY



EASY INSTALLATION



ANTI SLIP SURFACE



EASY MAINTENANCE



HYGIENIC SURFACE



FIRE & WATER RESISTANCE

11024 ORLIN AQUA




GVT | 600x1200mm



SEMI-HIGH GLOSSY
FINISH
GVT 600x1200mm

inky
Series



11025
ORLIN PINK



HIGH DURABILITY



EASY INSTALLATION



ANTI SLIP SURFACE



EASY MAINTENANCE



HYGIENIC SURFACE




FIRE & WATER RESISTANCE



SEMI-HIGH GLOSSY
FINISH
GVT 600x1200mm

inky
Series



11026
PORTLAND BLUE



HIGH DURABILITY



EASY INSTALLATION



ANTI SLIP SURFACE



EASY MAINTENANCE



HYGIENIC SURFACE



FIRE & WATER RESISTANCE

11026 PORTLAND BLUE




GVT | 600x1200mm



SEMI-HIGH GLOSSY
FINISH
GVT 600x1200mm

inky
Series



11027
P O R T L A N D G R E E N



HIGH DURABILITY



EASY INSTALLATION



ANTI SLIP SURFACE



EASY MAINTENANCE



HYGIENIC SURFACE



FIRE & WATER RESISTANCE



SEMI-HIGH GLOSSY
FINISH
GVT 600x1200mm

inky
Series



**11028
RANGER RED**



HIGH DURABILITY



EASY INSTALLATION



ANTI SLIP SURFACE



EASY MAINTENANCE



HYGIENIC SURFACE



FIRE & WATER RESISTANCE

11028 RANGER RED




GVT | 600x1200mm



SEMI-HIGH GLOSSY
FINISH
GVT 600x1200mm

inky
Series



11029
ROSETA AQUA



HIGH DURABILITY



EASY INSTALLATION



ANTI SLIP SURFACE



EASY MAINTENANCE



HYGIENIC SURFACE




FIRE & WATER RESISTANCE

11029 ROSETA AQUA




GVT | 600x1200mm



SEMI-HIGH GLOSSY
FINISH
GVT 600x1200mm

inky
Series



11030
SCAPE NATURAL



HIGH DURABILITY



EASY INSTALLATION



ANTI SLIP SURFACE



EASY MAINTENANCE



HYGIENIC SURFACE




FIRE & WATER RESISTANCE

11030 SCAPE NATURAL




GVT | 600x1200mm



SEMI-HIGH GLOSSY
FINISH
GVT 600x1200mm

inky
Series



11031
SOLIDO AQUA



HIGH DURABILITY



EASY INSTALLATION



ANTI SLIP SURFACE



EASY MAINTENANCE



HYGIENIC SURFACE




FIRE & WATER RESISTANCE

11031 SOLIDO AQUA




GVT | 600x1200mm



SEMI-HIGH GLOSSY
FINISH
GVT 600x1200mm

inky
Series



11032
SOLIDO GREEN



HIGH DURABILITY



EASY INSTALLATION



ANTI SLIP SURFACE



EASY MAINTENANCE



HYGIENIC SURFACE



FIRE & WATER RESISTANCE



SEMI-HIGH GLOSSY
FINISH
GVT 600x1200mm

inky
Series



11033
UNIQUE GREEN



HIGH DURABILITY



EASY INSTALLATION



ANTI SLIP SURFACE



EASY MAINTENANCE



HYGIENIC SURFACE



FIRE & WATER RESISTANCE

11033 UNIQE GREEN



GVT | 600x1200mm



SEMI-HIGH GLOSSY
FINISH
GVT 600x1200mm

inky
Series



11034
VELVET RED



HIGH DURABILITY



EASY INSTALLATION



ANTI SLIP SURFACE



EASY MAINTENANCE



HYGIENIC SURFACE



FIRE & WATER RESISTANCE

11034 VELVET RED




GVT | 600x1200mm



SEMI-HIGH GLOSSY
FINISH
GVT 600x1200mm

inky
Series



**11035
VENATO BLUE**



HIGH DURABILITY



EASY INSTALLATION



ANTI SLIP SURFACE



EASY MAINTENANCE



HYGIENIC SURFACE




FIRE & WATER RESISTANCE



SEMI-HIGH GLOSSY
FINISH
GVT 600x1200mm

inky
Series



11036
VENATO GREEN



HIGH DURABILITY



EASY INSTALLATION



ANTI SLIP SURFACE



EASY MAINTENANCE



HYGIENIC SURFACE



FIRE & WATER RESISTANCE

SEMI-HIGH GLOSSY
FINISH
GVT 600x1200mm

inky
Series



**11037
VENATOR RED**



HIGH DURABILITY



EASY INSTALLATION



ANTI SLIP SURFACE



EASY MAINTENANCE



HYGIENIC SURFACE



FIRE & WATER RESISTANCE

11037 VENATO RED




GVT | 600x1200mm



SEMI-HIGH GLOSSY
FINISH
GVT 600x1200mm

inky
Series



11038
VENZO RED



HIGH DURABILITY



EASY INSTALLATION



ANTI SLIP SURFACE



EASY MAINTENANCE



HYGIENIC SURFACE



FIRE & WATER RESISTANCE

11038 VENZZO RED



GVT | 600x1200mm

TECHNICAL
SPECIFICATION

GLAZED PORCELAIN TILES - POLISHED (PGVT)

CHARACTERISTIC	STANDARD AS PER ISO-13006/EN14411 GROUP BIa	OUR VALUE	TEST METHOD
REGULATORY PROPERTIES			
Deviation in length & width	± 0.5%	± 0.1%	ISO-10545-2
Deviation in thickness	± 5.0%	± 4.0%	ISO-10545-2
Straightness in sides	± 0.5%	± 0.1%	ISO-10545-2
Rectangularity	± 0.5%	± 0.1%	ISO-10545-2
Surface flatness	± 0.5%	± 0.2%	ISO-10545-2
Surface quality	Min. 95% defect free	> 95%	ISO 10545-2
Colour difference	Unaltered	Unaltered	ISO-10545-16
Glossiness	> 90 GU	> 94 GU	Gloss meter 60°
STRUCTURAL PROPERTIES			
Water absorption	< 0.50%	< 0.05%	ISO-10545-3
Apparent density	> 2.0 g/cc	> 2.20 g/cc	DIN 51082
MASSIVE MECHANICAL PROPERTIES			
Modulus of rupture	> 35 N/mm2	> 40 N/mm2	ISO-10545-4
Breaking strength	> 1300 N	> 1800 N	ISO-10545-4
Impact resistance (COR)	>0.55	>0.55	ISO-10545-5
SURFACE MECHANICAL PROPERTIES			
Surface abrasion resistance	Declared class	Class PEI 3	EN 154
Surface scratch hardness (Mohs scale)	5	5	EN 101
THERMO HYGROMRTRIC PROPERTIES			
Frost resistance	Test passed in accordance with test method	Pass	ISO-10545-12
Thermal shock resistance	Min. 10 cycle	Pass	ISO-10545-9
Moisture expansion	0.06mm/m	0.01mm/m	ISO-10545-10
Thermal expansion (COE)	Max. 9.0 x 10	Max. 6.5 x 10	ISO-10545-8
Crazing resistance	No damage	No damage	ISO-10545-11
CHEMICAL PROPERTIES			
Chemical resistance	No damage	No damage	ISO-10545-13
Stain resistance	Min. Class 3	Class 5	ISO-10545-14
SEFETY PROPERTIES			
Slip resistance (COF)	Declared value	> 0.40 dry, <0.40 wet	ISO-10545-17
Reaction to fire	Class A1 or A1 fl	Class A1 - A1fl	N.A

PACKING
DETAILS

Size	Thickness	psc. / box	m² / box
600x1200mm	9 mm (Approx.)	2 pcs	1.44 Sq. Mtr.

